· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)
Notice of Allowability		
	10/715,146	KAMEI ET AL.
	Examiner	Art Unit
	Eric Wong	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to RCE filed 7/6/06.		
2. The allowed claim(s) is/are 1,2,7,10,16,19,34,37,139 and 142.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	_	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail D 08), 7. ☐ Examiner's Amend	dment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Staten	nent of Reasons for Allowance
of Biological Material	9.	

Art Unit: 2883

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/6/06 has been entered.

Election/Restrictions

2. This application is in condition for allowance except for the presence of claims 3-6, 8-9, 11-15, 17-18, 20-33, 35-36, 38-138, 140-141 and 143-194 directed to a species non-elected without traverse. Accordingly, claims been cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art made of record fails to explicitly disclose or reasonably suggest an optical waveguide structure having at least two loss components wherein the spacing is set so that the total diffraction loss at the first and second components is less that the total diffraction loss when a second component is not present. This newly amended claim limitation appears to overcome the prior art of Inoue as it appears to the Examiner that one of ordinary skill would not have reasonable motivation to modify Inoue in such a way since, having one loss component having a same diffraction loss would be simpler than having two components. Therefore claim 1 is allowed. Claims 2, 7, 10, 16, 19, 34, 37, 139 and 142 are allowed by virtue of dependency.

Application/Control Number: 10/715,146

Art Unit: 2883

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Application/Control Number: 10/715,146

Art Unit: 2883

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Wong whose telephone number is 571-272-2363. The examiner can normally be reached on Monday through Friday, 830AM - 430PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EW

Frank G. Font
Supervisory Patent Examiner
Technology Center 2800

Page 3